



# NICO 4

12V MINI PENDANTS

location:  
**DRY**

## SPECIFICATIONS:

### DESCRIPTION

Low voltage mini pendant with handcrafted glass.

### LAMPING

**Standard:** 35W Low pressure halogen GY6.35 12V Bi-Pin lamp, lamp included. Suitable for use in an open fixture. Optional lamp shield also available.

**LED:** 6W integrated lightsource, dimmable. (Available on 1XT or 1XC fixtures only).

### DIFFUSER

Shade shall be handcrafted glass of various decors. 3.5" Dia. x 3.75" H

**Opening sizes:** 24mm.

### CORD

Standard cord is 10' field-adjustable coaxial type with teflon jacket and decorative sleeve at the socketholder. Jacket tint coordinates with metal finish. Cords also available in 15' lengths.

### STANDARD PENDANT (1XC, 1XT)

Mini pendant comes complete with either dome-style or flat-style canopy.

### QUICK-CONNECT OPTION (XP, RXP, 1XP)

Quick-Connect Jack is compatible with Besa Rail Adapter, or Quick-Connect canopies (order separately).

### METAL FINISH


Glass retainer hardware, sleeve and Quick-Connect Jack and/or canopies are finished in either Bronze or Satin Nickel.

### LABELS

UL or ETL Listed. Suitable for Damp Locations (interior use only).



NICO 4 SHOWN IN CLEAR STONE (512500) & GLITTER STONE (5125GL)



51250S  
OPAL STONE



5125SF  
STONE SILVER FOIL



5125GF  
STONE GOLD FOIL



5125CF  
STONE COPPER FOIL



**For ordering information, see next page**

All dimensions provided are nominal.  
Allowance must be made for dimensional tolerance in handcrafted glasses.

**REV 10/14**



# NICO 4

## 12V MINI PENDANTS

### ORDERING:

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH	OPTIONS
Quick-Connect	512500 Clear Stone	(blank) 35W Hal	BR Bronze	L 15' cord
XP Jack Only	5125CF Stone Copper Foil	LED* 6W LED	SN Satin Nickel	
RXP Rail-Ready	5125GF Stone Gold Foil			
1XP Flat Canopy	5125GL Glitter Stone	* LED option is for 1XC or 1XT fixtures ONLY. Consult factory for LED multilight options		
	5125OS Opal Stone			
	5125SF Stone Silver Foil			
Pendant Fixtures				
1XC Dome Canopy				
1XT Flat Canopy				

#### Ex. 1XT-512500-SN

Nico 4 Mini Pendant w/ Clear Stone Glass, Satin Nickel Finish

### LED 12V MINI PENDANTS:

- LED driver is located in canopy for optimal performance
- Total power of 6 watts
- 450 lumens
- Rated life: 30,000 hours
- CCT: 2800° Kelvin
- CRI: 85+
- Dimmable
- Frosted acrylic diffuser encloses LEDs

### CORD LENGTH OPTIONS:


#### 15Ft. CORD LENGTH:

For longer 15' cord, add an "L" to the end of the item number, i.e. 1XP-174352-SNL.

### Project Information:


### QUICK-CONNECT OPTIONS:

#### XP Pendant Element Only



- Pendant Shade and Cord/Socket Set
- 10' Field-adjustable braided coaxial-type cord with a teflon jacket (clear or bronze tint coordinates with metal finish)
- Quick-Connect Jack provided
- Compatible with Besa Canopies and Rail Adapter
- Bronze or Satin Nickel metal finishes


#### RXP Pendant + Rail Adapter



##### READY FOR RAIL

- Pendant Shade and Cord/Socket Set, plus Rail Adapter
- 10' Field-adjustable braided coaxial-type cord with a teflon jacket (clear or bronze tint coordinates with metal finish)
- Quick-Connect Jack provided
- Compatible with Besa Monorail System
- Bronze or Satin Nickel metal finishes


#### 1XP Pendant + Monopoint Flat Canopy



- Pendant Shade and Cord/Socket Set, plus Flat Canopy
- 1x electronic 60W dimmable transformer, fits partially in junction box
- 10' Field-adjustable braided coaxial-type cord with a teflon jacket (clear or bronze tint coordinates with metal finish)
- Quick-Connect Jack provided
- Integral Quick-Connect adapter
- Bronze or Satin Nickel metal finishes

### FIXED PENDANT OPTIONS:


#### 1XC 1 Light Pendant, Dome Canopy



##### NO CORD CUTTING REQUIRED

- Suitable for use on sloped ceilings
- 1x electronic 60W dimmable 120V transformer
- Installs to standard 4" octagonal junction box
- Bronze or Satin Nickel metal finishes

#### 1XT 1 Light Pendant, Flat Canopy



- Suitable for use on sloped ceilings
- 1x electronic 60W dimmable 120V transformer, fits partially in junction box
- Installs to standard 4" octagonal junction box
- Bronze or Satin Nickel metal finishes

### MORE MOUNTING OPTIONS:

• Besa quick-connect canopies, order separately

1Lt Dome: T21MQ    3Lt Linear: T23BQ    3Lt Round: T23XQ    3Lt Lrg. Rnd: T23XL

6Lt Round: T26XQ    3Lt Bar: T23VQ

• Besa Monorail system, order separately



# NICO 4

12V ADJUSTABLE PENDANTS

location:  
**DRY**

## SPECIFICATIONS:

### DESCRIPTION

Low-voltage adjustable mini pendant with handcrafted glass. Up or down adjusting is achieved by squeezing the cable adjuster, then releasing to lock in position.

### LAMPING

35W Low pressure halogen GY6.35 12V Bi-Pin lamp, included. Suitable for use in an open fixture.

### DIFFUSER

Shade shall be handcrafted glass of various decors. 3.5" Dia. x 3.75" H

### CABLE

Standard is 8' bare silver-color braided cable, length may be field-adjusted.

### STANDARD PENDANT (1XA)

Adjustable pendant comes complete with quick-connect jack (includes swivel/pivot feature) and a Quick-Connect canopy.

### METAL FINISH


Glass retainer hardware, adjuster and Quick-connect are finished in either Bronze or Satin Nickel.

### LABELS

ETL or UL Listed. Suitable for Dry Locations (interior use only).



NICO 4 SHOWN IN SILVER FOIL (5125SF) & COPPER FOIL (5125CF)



5125GL  
GLITTER STONE



512500  
CLEAR STONE



51250S  
OPAL STONE



5125GF  
STONE GOLD FOIL



**For ordering information, see next page**

All dimensions provided are nominal. Allowance must be made for dimensional tolerance in handcrafted glasses.

**REV 10/14**



# NICO 4

12V ADJUSTABLE PENDANTS


## ORDERING:

CONNECTION	GLASS OPTIONS	LAMP OPTIONS	METAL FINISH
Adjustable	<b>512500</b> Clear Stone	<b>(blank)</b> 35W Hal	<b>BR</b> Bronze
<b>1XA</b> Flat Canopy	<b>5125CF</b> Stone Copper Foil		<b>SN</b> Satin Nickel
	<b>5125GF</b> Stone Gold Foil		
	<b>5125GL</b> Glitter Stone		
	<b>5125OS</b> Opal Stone		
	<b>5125SF</b> Stone Silver Foil		

**Ex. 1XA-512500-SN**  
 Nico 4 Adjustable Pendant w/ Clear Stone Glass,  
 Satin Nickel Finish

## PENDANT OPTIONS:

### 1XA Adjustable Pendant + Monopoint Flat Canopy



- Easy cord adjuster, just squeeze and move up/down
- Pendant Shade and Cord/Socket Set, plus Flat Canopy
- 1x electronic 60W dimmable transformer, fits partially in junction box
- 8' Field-adjustable bare silver-color braided cable
- Swivel/pivot feature, suitable for use on sloped ceilings
- Quick-Connect Jack provided
- Integral Quick-Connect adapter
- Bronze or Satin Nickel metal finishes

**Project Information:**